

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	875	(710/10).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/14 11:16
L2	820	(710/301).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/14 11:16
L3	1703	(710/8).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/14 11:16
L4	683	(719/313).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/14 11:16
L5	770	(719/321).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/14 11:16
L6	872	(contain\$3 or includ\$3 or stor\$4) with device adj (drivers) with (set or plurality or many or list\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:45
L7	4	(contain\$3 or includ\$3 or stor\$4) with device adj (drivers) with (set or plurality or many or list\$1) same (addition\$3 adj function\$5)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:16
L8	178	(contain\$3 or includ\$3 or stor\$4) with device adj (drivers) with (set or plurality or many or list\$1) same (transfer\$4 or download\$3 or transmit\$4 or retriev\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:16
L9	26	(contain\$3 or includ\$3 or stor\$4) with plug\$in same (addition\$3 adj function\$5) same device	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:16
L10	0	(contain\$3 or includ\$3 or stor\$4) with plug\$in with (set or plurality or many or list\$1) same (addition\$3 adj function\$5) same (peripheral)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:16
L11	5	(contain\$3 or includ\$3 or stor\$4) with plug\$in with (set or plurality or many or list\$1) same (addition\$3 adj function\$5) same device	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:16
L13	610	(flash adj memory or memory adj devic\$2 or memory adj module\$1 or pc adj card\$1 or non-volatile adj memory or peripheral\$1) same function\$3 near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L14	131	(flash adj memory or memory adj devic\$2 or memory adj module\$1 or pc adj card\$1 or non-volatile adj memory or peripheral\$1) with (contain\$3 or includ\$3 or stor\$4) with device adj (drivers) with (multiple or set or plurality or many or list\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:16
L15	111	(flash adj memory or memory adj devic\$2 or memory adj module\$1 or pc adj card\$1 or non-volatile adj memory or peripheral\$1) with (contain\$3 or includ\$3 or stor\$4) with device adj (drivers) with (set or plurality or many or list\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:16
L16	14	(flash adj memory or memory adj device or memory adj module or pc adj card or non-volatile adj memory or peripheral) with (contain\$3 or includ\$3 or stor\$4) with device adj (drivers not driver) with (set or plurality or many or list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:16

EAST Search History

L19	242	(flash adj memory or memory adj device or memory adj module or pc adj card or non-volatile adj memory or peripheral) with (contain\$3 or includ\$3 or stor\$4) with device adj driver with (set or plurality or many or list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L21	0	(flash adj memory or memory adj device or memory adj module or pc adj card or non-volatile adj memory) with (contain\$3 or includ\$3 or stor\$4) near5 device adj driver with (addition\$3 option\$3 exten\$4 expan\$4) near3 (function feature capability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L22	353	(flash adj memory or memory adj device or memory adj module or pc adj card or non-volatile adj memory) with (contain\$3 or includ\$3 or stor\$4) with device adj driver same storage	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L23	418	(flash adj memory or memory adj device or memory adj module or pc adj card or non-volatile adj memory) with device adj driver same storage	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L24	62	(mount\$3 detach\$6) near (device) same driver near3 function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L25	121	(mount\$3 detach\$6) near (device) same driver same interface	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L26	2	(plug\$play) same driver and memory adj card adj interface	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L27	86	(plug\$play) with (device) same driver and memory adj card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L28	43	(plug\$play) with (device) same driver near2 (operating adj system os)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L29	183	(plug\$play) with (device) same driver same (attach\$4 connect\$3 mount\$3 detach\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L30	8	(plug\$play) with (device) same driver same (mount\$3 detach\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L31	0	(plug\$play) with (device) same driver same (mount\$3 detach\$4) and memory adj card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16

EAST Search History

L32	135	(plug\$play) with (device) same driver same interface	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L33	6	(plug\$play) with (device) same driver same memory adj card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L34	78	device adj driver with (exten\$4) same storage	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L35	494	device adj driver with (layer\$4 or hierarch\$6) same storage	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L36	99	device adj driver with (optional or addition\$3) near2 (function or feature)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L37	7	flash adj (drive memory) same device adj driver same (mount\$3 detach\$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L38	16	flash adj memory same device adj driver same storage same install\$6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:16
L39	473	(flash adj memory or memory adj devic\$2 or memory adj module\$1 or pc adj card\$1 or non-volatile adj memory or peripheral\$1) same (feature capability function\$3 functionality) with (driver code software module plug\$in component) near2 (separate dedicat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:45
L40	97	(flash adj memory or memory adj devic\$2 or memory adj module\$1 or pc adj card\$1 or non-volatile adj memory or peripheral\$1) same (feature capability function\$3 functionality) with (driver code software plug\$in) near2 (separate dedicat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 11:45
L41	16	(contain\$3 or includ\$3 or stor\$4) with device adj (drivers) with (set or plurality or many or list\$1) and (feature capability function\$3 functionality) with (driver code software plug\$in) near2 (separate dedicat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:46
L42	16	(contain\$3 or includ\$3 or stor\$4) with device adj (drivers) with (set or plurality or many or list\$1) and (feature capability function\$3 functionality) with (driver code software plug\$in extension) near2 (separate dedicat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:52
L43	1	select\$4 adj function with driver same memory adj card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:52

EAST Search History

L44	233	719/327	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 11:52
-----	-----	---------	--	----	-----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	196	719/321	US-PGPUB	OR	ON	2007/08/14 13:47
L2	63	719/327	US-PGPUB	OR	ON	2007/08/14 13:48
L3	112	710/8	US-PGPUB	OR	ON	2007/08/14 13:48
L4	20	710/10	US-PGPUB	OR	ON	2007/08/14 13:48
L5	204	710/301	US-PGPUB	OR	ON	2007/08/14 13:48
L6	1214	(select\$4 with function with code).clm.	USPAT	OR	ON	2007/08/14 13:58
L7	16	(select\$4 with function with code with driver).clm.	USPAT	OR	ON	2007/08/14 14:03
L8	288	(select\$4 with function with driver).clm.	USPAT	OR	ON	2007/08/14 14:03
L9	4	(select\$4 with function with driver with (extend\$3 extension)).clm.	USPAT	OR	ON	2007/08/14 14:04
L10	56	(function with driver with (extend\$3 extension)).clm.	USPAT	OR	ON	2007/08/14 14:04

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more](#) ▾[Sign in](#)

Google

site:ieeexplore.ieee.org "device driver" function

Search

[Advanced Search](#)
[Preferences](#)New! [View and manage your web history](#)

Web Results 1 - 24 of 24 from ieeexplore.ieee.org for "device driver" function "memory card". (0.20 seconds)

[\[PDF\] A secure flash card solution for remote access for mobile ...](#)

File Format: PDF/Adobe Acrobat

operates **memory-card** commands and added security. **functions**, such as user authentication, ... **device driver** software. The secure flash card driver includes ...
ieeexplore.ieee.org/iel5/30/27648/01233772.pdf?arnumber=1233772 - [Similar pages](#)

[\[PDF\] The architecture of the 32-bits embedded system used in power ...](#)

File Format: PDF/Adobe Acrobat

The extension device, such as CF **memory card**, CF. USB card, CF camera, can be extended by this interface. Both the system **functions** and the interface ...
ieeexplore.ieee.org/iel5/8642/27388/01218426.pdf - [Similar pages](#)

[\[PDF\] A ROBUST EMBEDDED SOFTWARE PLATFORM FOR VERSATILE CAMERA SYSTEMS](#)

File Format: PDF/Adobe Acrobat

for the multi-**function** camera systems. For improving the. programmability and reusability ... programming interface (API), and **device driver** interface ...
ieeexplore.ieee.org/iel5/9898/31469/01465760.pdf?arnumber=1465760 - [Similar pages](#)

[\[PDF\] OCR'd document](#)

File Format: PDF/Adobe Acrobat

entire new generation of portable directly from a **memory card** without first properties, special **device driver** software, ...
ieeexplore.ieee.org/iel3/6/6465/00254020.pdf?arnumber=254020 - [Similar pages](#)

[\[PDF\] Pilchard { A Reconfigurable Computing Platform with Memory Slot ...](#)

File Format: PDF/Adobe Acrobat

stacle for a non-**memory card**, particularly if the card. does not have sucient memory on board to ... chipset registers are modied via a **device driver** (see ...
ieeexplore.ieee.org/iel5/9725/30703/01420913.pdf?arnumber=1420913 - [Similar pages](#)

[\[PDF\] A common smart-card-based conditional access system for digital ...](#)

File Format: PDF/Adobe Acrobat

DVB to realize conditional access **function** for digital. television transmission. [5] Personal Computer **Memory Card** International Association, PC Card ...
ieeexplore.ieee.org/iel5/30/29059/01309434.pdf?arnumber=1309434 - [Similar pages](#)

[\[PDF\] Digital Television Receiver for ISDB](#)

File Format: PDF/Adobe Acrobat

2) **Memory card** interface: The interfaces to the several ... lower middleware layer that is connected to the **device driver** ...
ieeexplore.ieee.org/iel5/5/33232/01566645.pdf?arnumber=1566645 - [Similar pages](#)

[\[PDF\] Software-only bus encoding techniques for an embedded system ...](#)

File Format: PDF/Adobe Acrobat

between the micro-controller and the CF **memory card** takes specific **device driver**. For this reason, the implementation of. the third mode, CF-ATA, ...
ieeexplore.ieee.org/iel5/7806/21450/00994898.pdf - [Similar pages](#)

[\[PDF\] Comparing system-level power management policies - Design & Test ...](#)

File Format: PDF/Adobe Acrobat

parameter: The **function** can analyze the IRP. and then pass it to the original **device driver**. Change power states. A filter driver also can create a new IRP. ...
ieeexplore.ieee.org/iel5/54/19753/00914592.pdf - [Similar pages](#)

[\[PDF\] Bad Peripherals](#)

File Format: PDF/Adobe Acrobat

device driver and interface code big-. ger and more complex. Implement- Personal Computer **Memory Card**. International Association (PCM- ...
ieeexplore.ieee.org/iel5/8013/30310/01392705.pdf?arnumber=1392705 - [Similar pages](#)

[PDF] Itsy: stretching the bounds of mobile computing - Computer

File Format: PDF/Adobe Acrobat

1.5 V, but all Itsy systems built to date **function** correctly at 206 MHz and even higher. Figure 1. plus a block **device driver** that emulates a disk in a ...
 ieeexplore.ieee.org/iel5/2/19820/00917534.pdf?arnumber=917534 - [Similar pages](#)

[PDF] OCRRed document

File Format: PDF/Adobe Acrobat

top is assumed, in the parameter structure of API **functions**, between a low-level **device driver** and the hardware, rather. than the relatively high-level ...
 ieeexplore.ieee.org/iel1/35/10536/00489711.pdf?arnumber=489711 - [Similar pages](#)

[PDF] RAPID PROTOTYPING AND TEST OF A C4ISR KU-BAND ANTENNA POINTING AND ...

File Format: PDF/Adobe Acrobat

comes with the **device driver** blocks, it is not necessary to. re-write these device drivers for **function** of nominal elevation to the target. It was also ...
 ieeexplore.ieee.org/iel5/10687/33743/01605893.pdf?arnumber=1605893 - [Similar pages](#)

[PDF] Design Considerations for Computer- Telephony Application ...

File Format: PDF/Adobe Acrobat

features, **functions**, and event reports is critical to application. adaptability. ... between a low-level **device driver** and the hardware, rather ...
 ieeexplore.ieee.org/iel1/35/10536/00489711.pdf - [Similar pages](#)

[PDF] Choosing the right software for data acquisition - IEEE Spectrum

File Format: PDF/Adobe Acrobat

Memory Card International Association. [PCMCIA],. or external. DAQ. hardware.) DIG-In-Port(deviceNumber,. port,. pattern),. another example of a **function** ...
 ieeexplore.ieee.org/iel3/6/8652/00381875.pdf?arnumber=381875 - [Similar pages](#)

[PDF] G. Koulouras, K. Kontakos, I. Stavrakas, J. Stonham, and C. Nomicos

File Format: PDF/Adobe Acrobat

[1] proposed a flash memory **device driver** that. supports a conventional UNIX file system For all the above reasons, the CF **memory card** was selected ...
 ieeexplore.ieee.org/iel5/101/32094/01492715.pdf?arnumber=1492715 - [Similar pages](#)

[PDF] A low-cost graphics and multimedia workstation chip set - IEEE Micro

File Format: PDF/Adobe Acrobat

addresses, the memory controller implements the address. multiplexing **function** in a programmable fashion, memory. card by **memory card**. ...
 ieeexplore.ieee.org/iel1/40/6741/00272834.pdf?arnumber=272834 - [Similar pages](#)

[PDF] Portable Real-Time Homecare System Design with Digital Camera Platform

File Format: PDF/Adobe Acrobat

recording **functions** of a digital camera, such as JPEG and. MPEG-1/MPEG-4 recording, **memory card** via a DMA controller. Based on this software ...
 ieeexplore.ieee.org/iel5/30/33160/01561822.pdf?arnumber=1561822 - [Similar pages](#)

[PDF] Formal Specification And Verification Of The MISSI Sender And ...

File Format: PDF/Adobe Acrobat

These **functions** call. the library of fifty one Crypto Interface (CI) CI- func-. tions, which interface with the card **device driver** and ...
 ieeexplore.ieee.org/iel3/4977/13682/00630430.pdf?arnumber=630430 - [Similar pages](#)

[PDF] Augmented CPU reservations: towards predictable execution on ...

File Format: PDF/Adobe Acrobat

manually move **device driver** code out of time-stealing. bottom-half contexts. stored on a CompactFlash **memory card**), a reservation of ...
 ieeexplore.ieee.org/iel5/7401/20109/00929880.pdf - [Similar pages](#)

[PDF] A Wireless Data Network Infrastructure at Carnegie Mellon ...

File Format: PDF/Adobe Acrobat

Personal Computer **Memory Card** Industry Association. (PCMCIA) wireless LAN interfaces and WaveLAN units include an NDIS [Io] **device driver** for inter- ...
 ieeexplore.ieee.org/iel4/98/10424/00486976.pdf?arnumber=486976 - [Similar pages](#)

[PDF] IEEE Std 7-4.3.2-1993 (Revision of ANSI/IEEE-ANS-7-4.3.2-1982 ...

File Format: PDF/Adobe Acrobat

(e.g., at a minimum on a different board) from the processor performing the safety **function**. The buffering circuit may be another processor, **memory card(s)** ...

ieeexplore.ieee.org/iel1/2766/7671/00318506.pdf?

isnumber=7671&prod=STD&arnumber=318506&arSt=i... - [Similar pages](#)

[PDF] [IEEE Std 1284.1-1997 IEEE Standard for Information ...](#)

File Format: PDF/Adobe Acrobat

optional font, **memory card**, mass storage device, etc. **device driver** could then instruct the printer to enter the compatible mode and proceed in the ...

ieeexplore.ieee.org/iel4/5011/13748/00634864.pdf?isnumber=&arnumber=634864 -

[Similar pages](#)

[PDF] [MNOS-BORAM memory characteristics](#)

File Format: PDF/Adobe Acrobat

BORAMsystem **memory card**. ber of words per block, 256, to result in a 295-kbit module at the source and drain lines are a **function** of the threshold ...

ieeexplore.ieee.org/iel5/4/22550/01050790.pdf?arnumber=1050790 - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 24 already displayed. If you like, you can [repeat the search with the omitted results included](#).

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)